SMART ELEVATOR PRO 100




Elegance with a smart elevator pro 100 double elevator in your two-story home
You can easily move from one floor to another, you can move comfortably.

From one floor to another using the double smart elevator elevator









It is a double-sided stand bar model, elegant and gives utmost importance to security.

Interior and

It can be used safely outdoors. Its outer cover is made of rust-resistant material.

It does not require a well and has a cruising range of up to 3 metres.

Areas of use: schools, mosques, police stations, banks, public institutions, and residential properties

Hotels, health institutions, training centers, site areas, etc. Preferably in places.

The MK 105 is produced within the standards of regulations 2006/42/EC and is CE marked. It is introduced to the market. User and environmental safety is maintained at the highest level.

It has high safety standards and is elegant. It could be Use safely indoors and outdoors. The outer shell is made of steel sheets with antistatic electricity

Coating (stainless steel cover optional).



Technical specifications | Technical specifications


| Drive Type | Hydraulic/screw |
|--|---|
| Carrying capacity | 315 kg |
| Maximum Travel Distance | 3 mt |
| Working Speed | 0,15 mt/sec |
| smart elevator Internal Dimensions | 900*1400 mm / (Standart Dimension) |
| smart elevator External Dimensions | 1400*1400 mm / (Standard Dimension) |
| Door | Automatic Locking-Safety Switch (Optional) |
| Controls | Locked Controls On Floors And Platform Emergency Stop Button |
| Safety ———————————————————————————————————— | Anti Jamming Switches Under The Table / Bellows (Optional) |
| Main power requirement | 220 V AC- 50 Hz-Single Phase 380 V AC- 50 Hz-Single Phase |




SMART ELEVATOR PRO 100




FLOOR NUMBER 2








POWER SUPPLY 220 - 380 v (AC)



INSTALLATION 48 HR



MOTOR SYSTEM
Hydraulic - Screw



TRAVEL HEIGHT
3 m



TOTAL SPEED 0,15 m/s

